PB# 76-24

Safeky Mini-Warehouse

Safky Mine Warehouse 76-24

Whereig doglass to all of the bush of

<u>.</u>		GEN	ERAL	RECEIPT		3002	
Town of New Windsor, N.	Y.	B 1 =		Colote	Sept Hafek	24	_, 19 <u>76</u>
Received of ne hun	in led	Isa. Tue of	Do-	# CU	man War	\$ 100	Dollars
DISTRIBUTION:	CODE	AMOUNT	re	16-	-24		
100.00	·F·			er Charl	Me Ma	ucanos ruty	rea
WILLIAMSON LAW SDOK CO., SOCHES	779. H. V. 144	L			TIT	LE	

STOCK No. 753 1/3

made in U.S.A.

TOWN OF MEN WINDSOR PLANNING BOARD 555 Union Avenue; Tel: 565-8308

APPLICATION FOR SITE APPROVAL

Wille John C. Bragg D/B/A Saleky Mini-Warehouse, Inc.
Address P.O. Box 4115, New Windsor, New York 12550
1. Owner of the property
2. Location of the property Rt. 94, Vails Gate, N.Y.
3. MORE ATER C Design Shopping
4. Wature of business Self Storage Mini-Warehouse
5. Lot size: Front 200 ft. Rear 55 acres Depth
6. Building setbacks: Front yard 60 ft Rear yard
Side yard 40 ft.
7. Dimensions of new building various size building totaling 62,200 sq. ft.
Addition
If addition, state front, side, rear of existing structure:
Compliance with requirements shall be the sole responsibility of the applicant or his representative and it is suggested a copy of the Zoning Ordinance be obtained, with particular attention to Article X to avoid rejection of the plans. I do hereby affirm that all fees, permits and charges applicable under the laws and ordinances of the State of New York and the Town of New Windsor will be paid and that any expense for advertising of Public Hearing or meetings will be paid. Also, any legal or engineering fees for review of this project. Fees are due and payable upon submission of preliminary plans. All checks are to be made payable to the Town of New Windsor. Seven (7) copies of the plans are required.
approved 9/12/76 S/H Signature of applicant for

Soleky

received 9/20/76 P.B.

September 17, 1976

Mr. J. Bragg Safeky Mini-Harehouse 34 Hudson Drive Newburgh, New York 12550

> RE: Propose Mini-Warehouse entrances Route 94 Town of New Windsor Orange County

Dear Sir:

As we discussed in our field meeting at the site of the Proposed Mini-Warmbouse, if no change is to take place within the States right-of-way, other than clearing brush and trees, you can use the entrances as they exist. A permit will not be required.

Very truly yours,

Thomas M. Mason Acting Resident Engineer

Ву

Dominick Bello

Asst. Resident Engineer

THM : DB same

oc: Town of New Windsor Planning Board, Newburgh, New York





MINI-WAREHOUSE


EASY TO ERECT — EASY TO MAINTAIN EASY TO ENLARGE — EASY TO RELOCATE


ATTRACTIVE — Embossed, rich brown exterior walls with white roof and trim assembled with concealed fasteners giving a pleasing appearance.


DURABLE — A proven product, Trachte Metal Buildings have been built for over 50 years. Rugged all steel, non-combustible pre-engineered structures with 20 lb. wind and 30 lb. live loads. Wall and roof panels are 26 gauge galvanized, factory painted.

ECONOMICAL — This building system has been engineered to utilize every member for its maximum strength and utilization. This insures you that your Mini-Warehouse will be the most competitive because of the low initial cost.

FAST ERECTION — All structure and panels are pre-cut and pre-punched, no special tools are needed. The buildings are planned with all components small enough that crane service is not required. Buildings go up in weeks, instead of months, thus the buildings are ready for earlier occupancy. Erection service is offered when necessary.







THREE MINI-WAREHOUSE BUILDINGS TO CHOOSE FROM

PLAN YOUR OWN LAYOUT — Or use our free planning service: plot plans, foundation plans and engineered building components to utilize your site to the best advantage.

- A. 20' span building in 10' increments of length, 9' high with either 8' x 8' overhead doors or 3'4'' x 6'8'' steel walk doors. Areas can be partitioned off to 5'x10', 10'x10', 10'x20' areas.
- B. 40' span building in 10' increments of length, 9' high with either 8' x 8' overhead doors or 3'4" x 6'8" steel walk doors. Areas can be partitioned off to 5'x10', 10'x10', 10'x20', 10'x30', 10'x40' spaces.
- C. 48' span building in 12' increments of length, 11' high with 10' x 10' overhead doors. The areas can be partitioned into 12'x12', 12'x24', 12'x36', or 12'x48' spaces.

FLEXIBLE — Design features: dividers easily rearranged, changing compartment size to fit market needs. Relocatable for chattel mortgage financing on leased land. Easily built starter units are designed for flexibility with future expansion in mind.

National tenant prospects available.

ACCESSORIES AVAILABLE — BUMPER GUARDS, SNOWMOBILE RACKS, INSULATION.

TRACHTE PUTS IT ALL TOGETHER

Your dealer in this area is:

Ask for TRACHTE (TROCK-TEE) METAL BUILDINGS

102 N. DICKINSON ST.

MADISON, WIS. 53703

608-257-3676

